



Grade 8

In grade 8, instructional time will emphasize six areas:

- (1) representing numbers in scientific notation and extending the set of numbers to the system of real numbers, which includes irrational numbers;
- (2) generate equivalent numeric and algebraic expressions including using the Laws of Exponents;
- (3) creating and reasoning about linear relationships including modeling an association in bivariate data with a linear equation;
- (4) solving linear equations, inequalities and systems of linear equations;
- (5) developing an understanding of the concept of a function and
- (6) analyzing two-dimensional figures, particularly triangles, using distance, angle and applying the Pythagorean Theorem.

Number Sense and Operations

MA.8.NSO.1 Solve problems involving rational numbers, including numbers in scientific notation, and extend the understanding of rational numbers to irrational numbers.

MA.8.NSO.1.1 Extend previous understanding of rational numbers to define irrational numbers within the real number system. Locate an approximate value of a numerical expression involving irrational numbers on a number line.

Example: Within the expression $1 + \sqrt{30}$, the irrational number $\sqrt{30}$ can be estimated to be between 5 and 6 because 30 is between 25 and 36. By considering $(5.4)^2$ and $(5.5)^2$, a closer approximation for $\sqrt{30}$ is 5.5. So, the expression $1 + \sqrt{30}$ is equivalent to about 6.5.

Benchmark Clarifications:

Clarification 1: Instruction includes the use of number line and rational number approximations, and recognizing pi (π) as an irrational number.

Clarification 2: Within this benchmark, the expectation is to approximate numerical expressions involving one arithmetic operation and estimating square roots or pi (π).

MA.8.NSO.1.2 Plot, order and compare rational and irrational numbers, represented in various forms.

Benchmark Clarifications:

Clarification 1: Within this benchmark, it is not the expectation to work with the number e .

Clarification 2: Within this benchmark, the expectation is to plot, order and compare square roots and cube roots.

Clarification 3: Within this benchmark, the expectation is to use symbols ($<$, $>$ or $=$).



- MA.8.NSO.1.3 Extend previous understanding of the Laws of Exponents to include integer exponents. Apply the Laws of Exponents to evaluate numerical expressions and generate equivalent numerical expressions, limited to integer exponents and rational number bases, with procedural fluency.

Example: The expression $\frac{2^4}{2^7}$ is equivalent to 2^{-3} which is equivalent to $\frac{1}{8}$.

Benchmark Clarifications:

Clarification 1: Refer to the [K-12 Formulas \(Appendix E\)](#) for the Laws of Exponents.

- MA.8.NSO.1.4 Express numbers in scientific notation to represent and approximate very large or very small quantities. Determine how many times larger or smaller one number is compared to a second number.

Example: Roderick is comparing two numbers shown in scientific notation on his calculator. The first number was displayed as 2.3147E27 and the second number was displayed as 3.5982E – 5. Roderick determines that the first number is about 10^{32} times bigger than the second number.

- MA.8.NSO.1.5 Add, subtract, multiply and divide numbers expressed in scientific notation with procedural fluency.

Example: The sum of 2.31×10^{15} and 9.1×10^{13} is 2.401×10^{15} .

Benchmark Clarifications:

Clarification 1: Within this benchmark, for addition and subtraction with numbers expressed in scientific notation, exponents are limited to within 2 of each other.

- MA.8.NSO.1.6 Solve real-world problems involving operations with numbers expressed in scientific notation.

Benchmark Clarifications:

Clarification 1: Instruction includes recognizing the importance of significant digits when physical measurements are involved.

Clarification 2: Within this benchmark, for addition and subtraction with numbers expressed in scientific notation, exponents are limited to within 2 of each other.

- MA.8.NSO.1.7 Solve multi-step mathematical and real-world problems involving the order of operations with rational numbers including exponents and radicals.

Example: The expression $\left(-\frac{1}{2}\right)^2 + \sqrt{(2^3 + 8)}$ is equivalent to $\frac{1}{4} + \sqrt{16}$ which is equivalent to $\frac{1}{4} + 4$ which is equivalent to $\frac{17}{4}$.

Benchmark Clarifications:

Clarification 1: Multi-step expressions are limited to 6 or fewer steps.

Clarification 2: Within this benchmark, the expectation is to simplify radicals by factoring square roots of perfect squares up to 225 and cube roots of perfect cubes from -125 to 125.



Algebraic Reasoning

MA.8.AR.1 Generate equivalent algebraic expressions.

- MA.8.AR.1.1 Apply the Laws of Exponents to generate equivalent algebraic expressions, limited to integer exponents and monomial bases.

Example: The expression $(3x^3y^{-2})^3$ is equivalent to $27x^9y^{-6}$.

Benchmark Clarifications:

Clarification 1: Refer to the [K-12 Formulas \(Appendix E\)](#) for the Laws of Exponents.

- MA.8.AR.1.2 Apply properties of operations to multiply two linear expressions with rational coefficients.

Example: The product of $(1.1 + x)$ and $(-2.3x)$ can be expressed as $-2.53x - 2.3x^2$ or $-2.3x^2 - 2.53x$.

Benchmark Clarifications:

Clarification 1: Problems are limited to products where at least one of the factors is a monomial.

Clarification 2: Refer to [Properties of Operations, Equality and Inequality \(Appendix D\)](#).

- MA.8.AR.1.3 Rewrite the sum of two algebraic expressions having a common monomial factor as a common factor multiplied by the sum of two algebraic expressions.

Example: The expression $99x - 11x^3$ can be rewritten as $11x(9 - x^2)$ or as $-11x(-9 + x^2)$.

MA.8.AR.2 Solve multi-step one-variable equations and inequalities.

- MA.8.AR.2.1 Solve multi-step linear equations in one variable, with rational number coefficients. Include equations with variables on both sides.

Benchmark Clarifications:

Clarification 1: Problem types include examples of one-variable linear equations that generate one solution, infinitely many solutions or no solution.

- MA.8.AR.2.2 Solve two-step linear inequalities in one variable and represent solutions algebraically and graphically.

Benchmark Clarifications:

Clarification 1: Instruction includes inequalities in the forms $px \pm q > r$ and $p(x \pm q) > r$, where p , q and r are specific rational numbers and where any inequality symbol can be represented.

Clarification 2: Problems include inequalities where the variable may be on either side of the inequality.



MA.8.AR.2.3 Given an equation in the form of $x^2 = p$ and $x^3 = q$, where p is a whole number and q is an integer, determine the real solutions.

Benchmark Clarifications:

Clarification 1: Instruction focuses on understanding that when solving $x^2 = p$, there is both a positive and negative solution.

Clarification 2: Within this benchmark, the expectation is to calculate square roots of perfect squares up to 225 and cube roots of perfect cubes from -125 to 125.

MA.8.AR.3 Extend understanding of proportional relationships to two-variable linear equations.

MA.8.AR.3.1 Determine if a linear relationship is also a proportional relationship.

Benchmark Clarifications:

Clarification 1: Instruction focuses on the understanding that proportional relationships are linear relationships whose graph passes through the origin.

Clarification 2: Instruction includes the representation of relationships using tables, graphs, equations and written descriptions.

MA.8.AR.3.2 Given a table, graph or written description of a linear relationship, determine the slope.

Benchmark Clarifications:

Clarification 1: Problem types include cases where two points are given to determine the slope.

Clarification 2: Instruction includes making connections of slope to the constant of proportionality and to similar triangles represented on the coordinate plane.

MA.8.AR.3.3 Given a table, graph or written description of a linear relationship, write an equation in slope-intercept form.

MA.8.AR.3.4 Given a mathematical or real-world context, graph a two-variable linear equation from a written description, a table or an equation in slope-intercept form.

MA.8.AR.3.5 Given a real-world context, determine and interpret the slope and y-intercept of a two-variable linear equation from a written description, a table, a graph or an equation in slope-intercept form.

Example: Raul bought a palm tree to plant at his house. He records the growth over many months and creates the equation $h = 0.21m + 4.9$, where h is the height of the palm tree in feet and m is the number of months. Interpret the slope and y-intercept from his equation.

Benchmark Clarifications:

Clarification 1: Problems include conversions with temperature and equations of lines of fit in scatter plots.



MA.8.AR.4 Develop an understanding of two-variable systems of equations.

MA.8.AR.4.1 Given a system of two linear equations and a specified set of possible solutions, determine which ordered pairs satisfy the system of linear equations.

Benchmark Clarifications:

Clarification 1: Instruction focuses on the understanding that a solution to a system of equations satisfies both linear equations simultaneously.

MA.8.AR.4.2 Given a system of two linear equations represented graphically on the same coordinate plane, determine whether there is one solution, no solution or infinitely many solutions.

MA.8.AR.4.3 Given a mathematical or real-world context, solve systems of two linear equations by graphing.

Benchmark Clarifications:

Clarification 1: Instruction includes approximating non-integer solutions.

Clarification 2: Within this benchmark, it is the expectation to represent systems of linear equations in slope-intercept form only.

Clarification 3: Instruction includes recognizing that parallel lines have the same slope.

Functions

MA.8.F.1 Define, evaluate and compare functions.

MA.8.F.1.1 Given a set of ordered pairs, a table, a graph or mapping diagram, determine whether the relationship is a function. Identify the domain and range of the relation.

Benchmark Clarifications:

Clarification 1: Instruction includes referring to the input as the independent variable and the output as the dependent variable.

Clarification 2: Within this benchmark, it is the expectation to represent domain and range as a list of numbers or as an inequality.

MA.8.F.1.2 Given a function defined by a graph or an equation, determine whether the function is a linear function. Given an input-output table, determine whether it could represent a linear function.

Benchmark Clarifications:

Clarification 1: Instruction includes recognizing that a table may not determine a function.



- MA.8.F.1.3 Analyze a real-world written description or graphical representation of a functional relationship between two quantities and identify where the function is increasing, decreasing or constant.

Benchmark Clarifications:

Clarification 1: Problem types are limited to continuous functions.

Clarification 2: Analysis includes writing a description of a graphical representation or sketching a graph from a written description.

Geometric Reasoning

MA.8.GR.1 Develop an understanding of the Pythagorean Theorem and angle relationships involving triangles.

- MA.8.GR.1.1 Apply the Pythagorean Theorem to solve mathematical and real-world problems involving unknown side lengths in right triangles.

Benchmark Clarifications:

Clarification 1: Instruction includes exploring right triangles with natural-number side lengths to illustrate the Pythagorean Theorem.

Clarification 2: Within this benchmark, the expectation is to memorize the Pythagorean Theorem.

Clarification 3: Radicands are limited to whole numbers up to 225.

- MA.8.GR.1.2 Apply the Pythagorean Theorem to solve mathematical and real-world problems involving the distance between two points in a coordinate plane.

Example: The distance between $(-2, 7)$ and $(0, 6)$ can be found by creating a right triangle with the vertex of the right angle at the point $(-2, 6)$. This gives a height of the right triangle as 1 unit and a base of 2 units. Then using the Pythagorean Theorem the distance can be determined from the equation $1^2 + 2^2 = c^2$, which is equivalent to $5 = c^2$. So, the distance is $\sqrt{5}$ units.

Benchmark Clarifications:

Clarification 1: Instruction includes making connections between distance on the coordinate plane and right triangles.

Clarification 2: Within this benchmark, the expectation is to memorize the Pythagorean Theorem. It is not the expectation to use the distance formula.

Clarification 3: Radicands are limited to whole numbers up to 225.

- MA.8.GR.1.3 Use the Triangle Inequality Theorem to determine if a triangle can be formed from a given set of sides. Use the converse of the Pythagorean Theorem to determine if a right triangle can be formed from a given set of sides.



MA.8.GR.1.4 Solve mathematical problems involving the relationships between supplementary, complementary, vertical or adjacent angles.

MA.8.GR.1.5 Solve problems involving the relationships of interior and exterior angles of a triangle.

Benchmark Clarifications:

Clarification 1: Problems include using the Triangle Sum Theorem and representing angle measures as algebraic expressions.

MA.8.GR.1.6 Develop and use formulas for the sums of the interior angles of regular polygons by decomposing them into triangles.

Benchmark Clarifications:

Clarification 1: Problems include representing angle measures as algebraic expressions.

MA.8.GR.2 Understand similarity and congruence using models and transformations.

MA.8.GR.2.1 Given a preimage and image generated by a single transformation, identify the transformation that describes the relationship.

Benchmark Clarifications:

Clarification 1: Within this benchmark, transformations are limited to reflections, translations or rotations of images.

Clarification 2: Instruction focuses on the preservation of congruence so that a figure maps onto a copy of itself.

MA.8.GR.2.2 Given a preimage and image generated by a single dilation, identify the scale factor that describes the relationship.

Benchmark Clarifications:

Clarification 1: Instruction includes the connection to scale drawings and proportions.

Clarification 2: Instruction focuses on the preservation of similarity and the lack of preservation of congruence when a figure maps onto a scaled copy of itself, unless the scaling factor is 1.

MA.8.GR.2.3 Describe and apply the effect of a single transformation on two-dimensional figures using coordinates and the coordinate plane.

Benchmark Clarifications:

Clarification 1: Within this benchmark, transformations are limited to reflections, translations, rotations or dilations of images.

Clarification 2: Lines of reflection are limited to the x -axis, y -axis or lines parallel to the axes.

Clarification 3: Rotations must be about the origin and are limited to 90° , 180° , 270° or 360° .

Clarification 4: Dilations must be centered at the origin.



MA.8.GR.2.4 Solve mathematical and real-world problems involving proportional relationships between similar triangles.

Example: During a Tampa Bay Lightning game one player, Johnson, passes the puck to his teammate, Stamkos, by bouncing the puck off the wall of the rink. The path of the puck creates two line segments that form hypotenuses for each of two similar right triangles, with the height of each triangle the distance from one of the players to the wall of the rink. If Johnson is 12 feet from the wall and Stamkos is 3 feet from the wall. How far did the puck travel from the wall of the rink to Stamkos if the distance traveled from Johnson to the wall was 16 feet?

Data Analysis and Probability

MA.8.DP.1 Represent and investigate numerical bivariate data.

MA.8.DP.1.1 Given a set of real-world bivariate numerical data, construct a scatter plot or a line graph as appropriate for the context.

Example: Jaylyn is collecting data about the relationship between grades in English and grades in mathematics. He represents the data using a scatter plot because he is interested if there is an association between the two variables without thinking of either one as an independent or dependent variable.

Example: Samantha is collecting data on her weekly quiz grade in her social studies class. She represents the data using a line graph with time as the independent variable.

Benchmark Clarifications:

Clarification 1: Instruction includes recognizing similarities and differences between scatter plots and line graphs, and on determining which is more appropriate as a representation of the data based on the context.

Clarification 2: Sets of data are limited to 20 points.

MA.8.DP.1.2 Given a scatter plot within a real-world context, describe patterns of association.

Benchmark Clarifications:

Clarification 1: Descriptions include outliers; positive or negative association; linear or nonlinear association; strong or weak association.

MA.8.DP.1.3 Given a scatter plot with a linear association, informally fit a straight line.

Benchmark Clarifications:

Clarification 1: Instruction focuses on the connection to linear functions.

Clarification 2: Instruction includes using a variety of tools, including a ruler, to draw a line with approximately the same number of points above and below the line.



MA.8.DP.2 Represent and find probabilities of repeated experiments.

MA.8.DP.2.1 Determine the sample space for a repeated experiment.

Benchmark Clarifications:

Clarification 1: Instruction includes recording sample spaces for repeated experiments using organized lists, tables or tree diagrams.

Clarification 2: Experiments to be repeated are limited to tossing a fair coin, rolling a fair die, picking a card randomly from a deck with replacement, picking marbles randomly from a bag with replacement and spinning a fair spinner.

Clarification 3: Repetition of experiments is limited to two times except for tossing a coin.

MA.8.DP.2.2 Find the theoretical probability of an event related to a repeated experiment.

Benchmark Clarifications:

Clarification 1: Instruction includes representing probability as a fraction, percentage or decimal.

Clarification 2: Experiments to be repeated are limited to tossing a fair coin, rolling a fair die, picking a card randomly from a deck with replacement, picking marbles randomly from a bag with replacement and spinning a fair spinner.

Clarification 3: Repetition of experiments is limited to two times except for tossing a coin.

MA.8.DP.2.3 Solve real-world problems involving probabilities related to single or repeated experiments, including making predictions based on theoretical probability.

Example: If Gabriella rolls a fair die 300 times, she can predict that she will roll a 3 approximately 50 times since the theoretical probability is $\frac{1}{6}$.

Example: Sandra performs an experiment where she flips a coin three times. She finds the theoretical probability of landing on exactly one head as $\frac{3}{8}$. If she performs this experiment 50 times (for a total of 150 flips), predict the number of repetitions of the experiment that will result in exactly one of the three flips landing on heads.

Benchmark Clarifications:

Clarification 1: Instruction includes making connections to proportional relationships and representing probability as a fraction, percentage or decimal.

Clarification 2: Experiments to be repeated are limited to tossing a fair coin, rolling a fair die, picking a card randomly from a deck with replacement, picking marbles randomly from a bag with replacement and spinning a fair spinner.

Clarification 3: Repetition of experiments is limited to two times except for tossing a coin.
